COMMUNITY/VILLAGE LEVEL HEALTH INFORMATION SYSTEM COMMUNITY MONTHLY SUMMARY FORM

Identification

Political Ward:	Ward Code:
LGA:	Month:
State	Year:
Supervisory health facility:	Actual no. of reporting communities:
Estimated ward population:	Expected no of reporting communities:

Human Resources

	PPMVs	VHWs	CBHVs	CDDs	RMCs	CORPs	FBMs	(TBAs)
Male Community Health personnel								
Female community health personnel engaged								
Number trained in reporting month								
Number kitted								
Number of people reporting								
Number of clients attended to								

Community Integrated Disease Notification (Community IDSR)

	MALE					FEMALE				
	0-11 months	12-59 months	5 - 9 years	10 - 19 years	20 + years	0 – 11 months	12 – 59 months	5 – 9 years	10– 19 years	20 + years
Diarrhoea new cases										
Suspected measles cases										
Suspected pneumonia cases										
Suspected malaria cases										
Confirmed malaria cases										
Suspected tetanus cases										
Suspected malnutrition cases (red muac or swollen feet)										
Road Traffic Accident										
Suspected skin condition cases										
Suspected oral condition cases										
Suspected mental										

condition cases					
Cough cases >=3					
weeks					
Suspected STI					
cases					
Suspected pallor					
cases					
Blinding trachoma					
new cases					
Elephantiasis new					
cases		 	 		
Trypanosomiasis					
new cases					
Hookworm new					
cases			 		
Whipworm new					
cases Roundworm new		 	 		
cases					
Onchocerciasis					
new cases					
Schistosomiasis					
new cases					

Community Care of Pregnant Women and Deliveries

	Age Category	TBA	FBM	SBA	CBHVs	Independent home delivery	Total
Pregnant women identified (new)	Adolescent Girls Adult						
Pregnant women followed up	Adolescent Girls Adult						
Deliveries	Adolescent Girls Adult						
Live births	M						
Still births	1						
Premature babies/small babies seen and referred (Low Birth	M						
Weight <2.5kg) Babies placed in skin to	М						
skin/kangaroo position & referred	F						
Clients that received family planning services	Adolescent Girls Adult						
Pregnant women referred for ANC for the first time by volunteer	Adolescent Girls						
health worker Pregnant women referred for	Adult Adolescent Girls						
tetanus toxoid	Adult						
Number of women seeking care and treatment for Urine/Stool	Adolescent Girls Adult						
incontinence referred Pregnant women referred for IPT							
Pregnant women who took CIPT 1	Adolescent Girls						
Pregnant women who took CIPT 2	Adult Adolescent Girls						
Pregnant women who took	Adult Adolescent Girls						
CIPT3+ Pregnant women given	Adult Adolescent Girls						
Misoprostol Women referred for postnatal care	Adult Adolescent Girls						
within 2days after delivery	Adult						
Babies referred for postnatal care within 2days after delivery	M F						
Persons referred for family planning services	Adolescent Girls Adult						
Pregnant women with fever referred for further treatment	Adolescent Girls Adult						

Pregnant women with bleeding	Adolescent Girls			
referred for further treatment	Adult			
Pregnant women referred for other pregnancy complications	Adolescent Girls			
	Adult			
Pregnant women receiving Iron	Adolescent Girls			
and Folic Acid	Adult			
Pregnant women monitored for	Adolescent Girls			
compliance with Iron and Folic acid regimen	Adult			
Non-pregnant Adolescent girls who took weekly Iron and Folic acid supplementation				
Number of Pregnant women with	Adolescent Girls			
bleeding referred for further treatment	Adult			
Number of Pregnant women with	Adolescent Girls			
prolonged labour (lasting more than 12 hours) referred	Adult			
Number of Pregnant women	Adolescent Girls			
referred with convulsion/fitting	Adult			
Number of Pregnant Women with	Adolescent Girls			
complication conveyed to HF through Emergency Transport System (ETS)	Adult			

Integrated Community Case Management (ICCM)/Community Case Management of Malaria (CCM) for Children less than 5years (U5)

New-born Care	TOTAL
0-28 days old who received 4% Chlorhexidine gel for cord care	
0-28 days old who is sick and referred	
0-28 days old referred for immunization.	
Malaria	
Seen with fever	
Fever cases tested with RDT	
Fever cases tested RDT positive	
Confirmed malaria cases (RDT positives) treated with ACT	
Confirmed U5 malaria cases referred to facility for lack of improvement	
after treatment with ACT	
Fever cases with danger signs referred to facility for further	
management	
U5 Children followed up for Malaria in 3 days	
Pneumonia	TOTAL
U5 Suspect pneumonia cases seen	
U5 Suspect pneumonia cases with high respiratory rate given oral	
Amoxicillin	

U5 Suspected pneumonia cases referred for further treatment	
U5 Children followed up for Pneumonia in 3 days	
Diarrhoea	
U5 diarrhoea cases seen	
U5 diarrhoea cases given LO-ORS only	
U5 diarrhoea cases given Zinc tablet only	
U5 diarrhoea cases given Zinc+ORS	
U5 diarrhoea cases referred for further treatment	
U5 Children followed up for Diarrhoea in 3 days	
Nutrition	
Children with growth monitoring charts	
0-24 hours feeding on water, any milk or drink	
0-6 months not exclusively breastfed	
6-59 months whose mid upper arm circumference (MUAC) was	
measured	
6 – 59 months with Yellow MUAC	
6-59 months with red MUAC	
6 -59 SAM Cases treated and discharged	
6-59months who receive 5 or more feeds in the last 24hours	
6-59 months with red MUAC referred to Outpatient Therapeutic	
Programme (OTP) site	
6-59 months given Vitamin A supplement	
U5 cases with ADR outcome	
Total Number of Children Seen	
U5 children seen CORPs	
U5 Children followed Up	

HIV Prevention, Care and Support

	Ν	IALE	FE	MALE	TOTAL
	Below 15yrs	Above 15yrs	Below 15yrs	Above 15yrs	
HIV Prevention – HTS					
No. of individuals 15+ who received HIV					
counselling, testing and received results					
No. of individuals tested HIV positive					
Number of persons referred for HTS					
No. of condoms distributed amongst the general population					
No. of individuals screened for HbsAg					
No. of individuals who were reactive to HbsAg screening and referred					
No. of individuals screened for Syphilis					

No. of individuals who were reactive to Syphilis	<u> </u>		
screening and refered			
HIV Prevention – MARPs			
niv Prevention - MARPS			
No. of MARPs who received HIV counselling,			
testing and received results			
No. of MARPS tested HIV positive			
Number of MARPs referred for HTS services			
No. of MARPS reached with MPPI			
Referral Services			
No. of HIV positive individuals referred for ART			
services			
No. of sexually assaulted persons referred for			
PEP			
FLHE			
No. of Teachers Sensitized			
No. of pupils/students reached with FLHE			
	-		
No. of schools providing FLHE			
Community-based PMTCT			
No. of Pregnant women referred for HTS			
No. of Pregnant women who received HIV			
counselling, testing and received results			
No. of Pregnant women tested HIV positive			
No. of HIV positive pregnant women with already			
known HIV status			
HIV exposed infants who were tracked for the first			
time			
III/ owned inforts 0 (months - 1 - 1			
HIV exposed infants 0-6months exclusively			
breastfed			

Care and Support			
No of PLHIV who receive one minimum community care service.			
No. of PLHIV who receive adherence services			
No. of eligible vulnerable children enlisted in care receiving social support services			
No. of PLHIV provided with Prevention with Positives (PHDP) services			

Community TB Care (CTBC)

	MALE	FEMALE	TOTAL
TB patients managed by Treatment			
Supporters/Community Volunteers			
Presumptive TB patients referred for TB diagnosis			
by volunteer health worker			
Persons referred for TB services by volunteer			
health worker			
Children Under 5 yrs referred for TB services by			
volunteer health worker			

OVC Care & Support

	MALE	FEMALE	TOTAL
No. of VC Under 5years provided with at least a minimum of one support service by the CBO (Note: CBO include all community level structures, FBO, NGO, etc.)			
No. of VC 5years and under 18 provided with at least a minimum of one support service by the CBO (Note: CBO include all community level structures, FBO, NGO, etc)			
No. of Households/Caregivers of OVC provided with livelihood/household economic strengthening support			
No. of VC Under 5years provided with nutritional			

support service by the CBO		
No. of VC 5years and Under 18years provided with nutritional support service by the CBO		
No. of VC Under 5years provided with educational support service by the CBO		
No. of VC 5years and Under 18years provided with educational support service by the CBO		
No. of VC under 5years provided with health support service by the CBO		
No. of VC 5years and Under 18years provided with health support service by the CBO		
No. of VC under 5 provided with child protection/Psychosocial support services		
No. of VC 5years and under 18 years provided with child protection/Psychosocial support services		

Deaths in the community

	TOTAL		
Deaths in women related to pregnancy			
	Male	Female	
Deaths of babies aged 0 -28 days			
No. of deaths of babies aged 29 days - 11 months			
Deaths of children aged from 12 - 59months			
Deaths of U5 attributable to malaria			
Deaths of U5 attributable to pneumonia			
Deaths of U5 attributable to diarrhoea			
Deaths of U5 attributable to malnutrition			

Health Commodities Status and Distribution

	TOTAL
LLIN slip distributed through community volunteers	
LLIN distributed	
Deworming Tablets distributed	

Stock out of commodities/medicines

	Quantity distributed	STOCK OUT	STOCK OUT FOR 7 CONSECUTIVE DAYS
LLIN			

ACTs		
Amoxicillin (DT)		
LO – ORS		
Zinc tablet		
RDTs		
4% Chlorhexidine gel		
Rectal artesunate		
Misoprostol		
Micronutrient Powder		
Male Condom		
Female Condom		
Mectizan		
Praziquantel		
Albendazole		
Mebendazole		
Iron		
Folic acid		
RTKs		
Water purifiers		
Sayana press		

Strategic Behaviour Change Communication activities

	Women of child bearing age		Total	Medium of	
	Adolescent 15-19	Adult 20 – 49 years		Communication e.g. FGD, Electronic, print e.t.c	
No of Pregnant Women reached with messages on Intermittent Preventive Treatment of Malaria in Pregnancy (IPT)					
No of Pregnant Women reached with messages on Family planning					
No of Pregnant Women reached with messages on 4% Chlorhexidine gel for Newborn cord care					
No of Pregnant Women reached with messages on Injectable Antibiotics for prevention of sepsis in newborn					
Pregnant women reached with IYCF and Key Nutrition messages					
	MALE	FEMALE			
No of Individuals reached with messages on LLIN					
No of Individuals reached with messages on prompt treatment for children under 5 with fever					
No of Individuals reached with messages on prompt treatment for children under 5 with cough or difficulty with breathing					
No of Individuals reached with					

messages on prompt treatment for		
children under 5 with diarrhoea		
No of Individuals reached with IYCF		
nutrition and WASH messages		
No of MARPs reached using the		
Minimum prevention package		
No of Individuals reached with		
messages on Antenatal care		
No of Individuals reached with		
messages on Post natal care		
No of Individuals reached with		
messages on Nutrition		
No of Individuals reached with		
messages on Family planning		
No of Individuals reached with		
messages on Immunisation		
No of Individuals reached with		
messages on Tuberculosis (TB)		

Ward Development Committee (WDCs)/Community System Strengthening (CSS) Activities

	TOTAL	
No. of times Community Development		
Committee met		
No of community based outreached / Meetings		
conducted		
No of health-related activities carried out in the		
community		
No of advocacy visit to key stakeholders		
No of functional mother to mother support		
groups		
No of CMAM sites that experience stock out of		
key nutrition commodities		
		TOTAL
No. of new wells/bore holes sunk during the month		
No of old water sources repaired/rehabilitated		
No. of new Latrines dug during the month		
No of self-help projects initiatives during the month		

Completed by: Designation:	.Name:	.Signature:	.Date:
1 5 5		5	
Verified by: Designation:	Name:	Signature:	Date: